

How Cats Survive Falls from New York Skyscrapers

Science can progress even without controlled experiments

by Jared Diamond

I have never gone up the Empire State Building and never want to. I managed to get up the Eiffel Tower, barely, by closing my eyes in the elevator, holding my wife's hand tightly, and staying as far as possible from the edge when I reached the top. In Manhattan hotel rooms my legs lock when I look out the window to the street below.

All of you who share my fear of heights will understand these sensations. While my acrophobia is extreme, most people have some fear of falling, for good reason: falls are dangerous. With more than 13,000 fatalities each year, falls constitute one of the leading causes of traumatic death in the United States and are the most common such cause of death for children under fifteen. In New York City, falls account for one-fifth of all accidental deaths of children.

Even slips from a low stepladder often result in broken bones, but your chances of surviving a drop of fifty feet are only 50–50. Almost no one who falls off a six-story building onto a concrete sidewalk survives. Not surprisingly, jumping from buildings is a preferred means chosen by would-be suicides, and it's probably the most effective one. You might vomit the sleeping pills you swallowed, your hand may jerk as you pull the trigger, but nothing will save you once you've jumped off the ledge.

In all these respects, cats offer a startling contrast to humans. They are as nonchalant about heights as most of us are frightened, and they regularly survive falls that would kill any person. The explanation isn't that they rarely fall. In-

stead, in Manhattan, with its abundance of high rises, cats are more prone to fall than humans because they fearlessly play and chase each other along ledges. Even in my home town of Los Angeles, which has few skyscrapers, cats are still at risk of getting thrown off ledges of apartment buildings during earthquakes. Veterinarians see so many cats brought for treatment after a fall that there is now a technical term for the resultant pattern of injuries: "high-rise syndrome in cats."

Despite cats' propensity to fall, the outcome is far less often fatal to them than it is to us. It's not just that cats, unlike humans, commonly survive plunges from mere six-story apartment buildings. What's more impressive is that cats hurtling out of skyscrapers onto asphalt usually don't die as a result. Apparently the record (at least for New York City) is held by a kitty named Sabrina, who fell thirty-two stories onto a sidewalk and suffered nothing worse than a chipped tooth and mild chest injuries. Paradoxically, the *higher* the building beyond a certain height, the *less* risk a falling cat has of being killed! This ability to survive seemingly appalling drops is the main fact behind the adage that cats have nine lives.

Feline pesematology (from the Greek *pesema*, for "fall"), the science of falling cats, may not strike you initially as the stuff for which Nobel Prizes are won. But it is undoubtedly of emotional importance, as any concerned *felophile* (cat lover) knows. It might be of importance to human medicine as well, if understanding cats' survival secrets helps us to reduce

our own fall-related injuries. What's more, feline pesematology illustrates the interplay between physiology and evolutionary biology, while also teaching us how to gain knowledge in fields where intentional experiments would be utterly reprehensible. Thus, falling cats yield poignant insights into the scientific method.

As in any science, let's start with the raw data. Feline high-rise syndrome was described in 1976 by Dr. Gordon Robinson, a veterinarian at the ASPCA's Henry Bergh Memorial Hospital in New York, to which owners were then bringing about 150 fallen cats each year. Eleven years later the next major advance was made by two other veterinarians, Drs. Wayne Whitney and Cheryl Mehlhaff, at the Animal Medical Center in Manhattan. Within one five-month period in the summer and autumn, the lure of open windows generated a data base of 132 cats admitted to the latter hospital after falls of at least 2 stories. Most falls were of 4 or more stories, with a mean value of 5.5 stories, standard error of plus or minus 0.3 stories, and maximum of 32 stories (the famous Sabrina). Most of the victims hit concrete pavement.


In their data analysis, Whitney and Mehlhaff had to discount 17 cats put to sleep at their owners' request—usually not because of a poor outlook, but rather because the owners said they couldn't afford medical treatment. Of the remaining 132 minus 17, or 115 cats, only 3 were dead on arrival. Eight more died within the next twenty-four hours, and all the 104 other cats that got through that first day

NATURE'S INFINITE BOOK

Spencer Platt/NOVA



FREE CAMPMOR CAMPING AND CLOTHING CATALOG



Eureka!

BISSO GEAR

JUGOSE

SUUNTO

CHOUINARD

WRITE OR PHONE FOR OUR FREE
DISCOUNT CATALOG

CAMP MOR

P.O. BOX 996-NH
PARAMUS, NJ 07653
PHONE (201) 445-5000

NOVA SCOTIA

"I have traveled
around the globe.
I have seen the
Canadian and
American Rockies,
the Andes, the
Alps, and the
Highlands of
Scotland; but for
simple beauty,
Cape Breton
outrivals them all."

— Alexander
Graham Bell

1-800-565-0000

(It's a real number, honest!)

BREATHE AIR
FREE OF
SMOKE
POLLEN
POLLUTION



Powerful EnerAire® ionizer continuously purifies up to 1,000 cubic feet (a large room) of polluted air and makes it breathable and migrating. Restores natural ion balance to unhealthy environments caused by industrial pollution, automobile exhaust, central air conditioning and heating, smoke, dust, pollen, animal fur... removes microscopic pollution particles not removed by any other method of air purification.

EnerAire was rated Number One for removal of cigarette smoke by the leading consumer protection magazine. EnerAire works the way nature cleans the air during a thunderstorm. Like lightning, it produces a concentration of negative ions which attach themselves to pollution particles in the air causing them to fall harmlessly to the floor. It has no noisy fan, costly filter, and requires no maintenance.

EnerAire produces 450,000 or more negative ions cc. sec. (at one meter). Uses less than 2 watts. 3" high, 3" dia., 1 lb. Plugs into standard 110 volt outlet. Complete instructions included. Manufactured by Monadnock in the U.S.A. Immediate shipment.

30-DAY MONEY-BACK GUARANTEE... 12 MONTH MANUFACTURER'S WARRANTY

TO ORDER: Send \$69.95 plus \$4.00 each shipping and handling (in Mass. add 5% sales tax) by check, money order, MasterCard or Visa number and expiration date to **MONADNOCK SALES COMPANY**, Dept. 474, 201 Common St., P.O. Box 189, Dedham, MA 02026, or Call TOLL FREE (anytime) 1-800-334-0854, Extension 651. (for information call 617-326-8675.) **ASK FOR PRODUCT NUMBER 474.** (201 Common St. is not a local retail location.)

Want to brush up on a foreign language?



With Audio-Forum's intermediate and advanced materials, it's easy to maintain and sharpen your foreign language skills.


Besides intermediate and advanced audio-cassette courses—most developed for the U.S. State Dept.—we offer foreign-language mystery dramas, dialogs recorded in Paris, games, music, and many other helpful materials. And if you want to learn a *new* language, we have beginning courses for adults and for children.

We offer introductory and advanced materials in most of the world's languages: French, German, Spanish, Italian, Japanese, Mandarin, Greek, Russian, Portuguese, Korean, Norwegian, Swedish, and many others.

CALL 1-800-243-1234 FOR FREE 32-PAGE CATALOG, OR WRITE:

AUDIO-FORUM®

Room C811, 96 Broad Street, Guilford, CT 06037 (203) 453-9794



survived. Thus, 90 percent of the falling cats available for analysis (104 out of 115) recovered, confirming the adage about cats' nine lives.

The commonest injuries suffered by falling cats differ drastically from those of humans. Broken skulls and hemorrhage from internal injury are what kill falling people; broken backs and rib cages maim them. In contrast, one of the most frequent injuries to the cats was nosebleeds. That had not been among the risks on my mind as I stood with locked legs at the top of the Eiffel Tower, picturing myself splattered on the pavement far below. Falling felines also commonly suffered from facial lacerations, broken teeth, split palates or mandibles, and chest injuries.

Only three cats sustained the fractured vertebrae and four the broken ribs that are so common in humans. Like humans, cats often break limbs, but the pattern of limb breaks differs: adult humans most often break their legs, babies their arms, but cats break their forelimbs and hind limbs almost equally often. (Try to explain those differences now, without jumping to the end of this piece.)

Of course, falling cats differ most from falling people in their much lower death rate. Since fall injuries vary with the height of the fall, I've prepared a figure that plots mortality rate as a function of

height in order to take the height factor into account. For any height, cats' mortality rate is far below that of human adults, while values for human babies are intermediate. Incredibly, cats' prospects for survival improve with height beyond seven stories: only 5 percent of cats that fell seven to thirty-two stories died, while relatively twice as many—10 percent—died from falls of only two to six stories. It's as if, confronted with someone threatening to throw you out a second-floor window, you could help yourself by begging him to throw you out a twenty-second-floor window instead.

So much for the raw data. To make sense of these puzzling results, let's turn to the deep theoretical insights that rigorous application of physical principles can offer us lowly biologists. Physics teaches that the outcome of a fall depends on impact velocity, compliance (softness) of the impacted surface, and five properties of the falling animal itself: its weight, surface area, surface compliance, bone parameters, and impact dissipation through joints and muscle.

As for impact velocity, your fall velocity accelerates by 22 mph with each second that you fall. For bodies falling in a vacuum, velocity increases as the square root of the distance fallen. By the time you've plunged thirty-two stories, you're

going at a bullet-train speed of 120 mph, but after two stories you've only gotten up to a sedate 30 mph. That explains my intuitive sense, while at the top of the Eiffel Tower, that I would make a bigger splatter on the pavement below from that height than from the top of a stepladder.

However, distance fallen isn't everything. The force on impact depends on the impacted surface's compliance, which determines its stopping distance (the distance you penetrate into the surface before you come to a full stop). The greater the stopping distance, the less the impact force. That's why pole-vaulters place a thick foam cushion rather than a concrete slab below the crossbar. For a modest sum (say, \$10 million), even I would agree to jump once from an apartment roof onto a suitably thick and wide foam pad. That's also why the stories of pilots who survived falls from planes without parachutes refer to the lucky pilots who landed in mud (with a stopping distance of about eight inches), rather than to the unlucky pilots who landed on asphalt (stopping distance a fraction of an inch). As an alternative to landing on a compliant surface, you can also wrap yourself in your own compliant surface. Part of the reason that human babies survive falls better than adults is the cushioning effect of a baby's subcutaneous fat.

Theory also teaches us that a falling body's mass in relation to its area is important in two ways. First, impact force is proportional to mass. It's a delightful game when my 27-pound son Joshua jumps on my stomach, but it won't be so delightful if he wants to continue the game after he grows up to be a 270-pound NFL tackle. More specifically, what counts is the falling body's mass divided by the area over which the impact is distributed.

The other effect of mass and area involves air resistance as you fall. As we were all taught, Galileo supposedly proved that objects of different weights dropped from the Leaning Tower of Pisa strike the ground simultaneously. In fact, that result applies exactly only in a vacuum, where there is no air resistance to increase with velocity and to oppose the accelerating force of gravity. Eventually friction causes bodies falling in the earth's atmosphere to reach a certain terminal velocity, which they then maintain until they splatter on the ground below. The greater the body's area and the less its mass, the lower is that terminal velocity and the sooner it is reached. That's why paratroopers wear parachutes and why feathers hit the ground more gently than do cannonballs.

The Galapagos Islands and Highland Ecuador

aboard the 32-passenger
Isabella II

January 5 - 18, 1990
14 days

Discover the Galapagos Islands with Museum experts and naturalist guides aboard the 32-passenger, first-class *Isabella II*. Explore with experts towering volcanoes, crater lakes, lava formations and beautiful beaches, home to diverse and fascinating wildlife: giant tortoises, seals and sea lions, penguins, marine and land iguanas, boobies, albatross, flamingoes, Darwin's famous finches, and a host of other animals. High in the Andes of Ecuador, we visit the beautiful city of Quito, stunning Volcano Cotopaxi National Park, and the exciting market of Otavalo.



For detailed information write or call:
American Museum of Natural History
Discovery Cruises
Central Park West at 79th Street
New York, NY 10024-5192

toll-free
(800) 462-8687
or in New York State
(212) 769-5700



American
Museum of
Natural
History
Discovery Cruises

The Book of Darwin

George Gaylord Simpson

Through this very special offer for Members of the American Museum of Natural History, immerse yourself in the excitement taking place in London as Darwin's evolutionary thought evolved! This softcover edition is offered to you for only \$2.95, at a savings of over 50% off the publisher's price! In his highly acclaimed work, author George Gaylord Simpson evokes the story of Darwin and his times by placing his narration between selections of Darwin's own work. Read this vital work on Darwin and you'll appreciate even more the radical nature of his ideas.

To take advantage of this special offer and order your copy of *The Book of Darwin*, send \$2.95 per book to the address below. Make checks payable to the American Museum of Natural History.



Members'
Book
Program

American Museum of Natural History
Central Park West at 79th St., New York, NY 10024

NOVA SCOTIA

Leaf Peepers:

Cape Breton
is a whole
new leaf
on life.

1-800-565-0000

(It's a real number, honest!)

Owner's Manual No.4

(Yes, the new J. Peterman Catalogue, making all earlier ones practically almost collector's items.)



Catalogue to _____ name _____

address _____

city _____ state _____ zip _____

The J. Peterman Company
257 Midland Avenue
Lexington, Kentucky 40507
(800) 231-7341

NH8

An Index and Guide to Audubon's BIRDS OF AMERICA



by Susanne Low
...an essential reference for all Audubon collectors and enthusiasts.

\$50.00 post paid

Write to: Members' American Museum of Natural History Program
Central Park West at 79th Street
New York, NY 10024

Now let's apply these physical principles to understanding the different injuries of falling human adults, babies, and cats. To begin with, humans are bigger than cats. Because mass increases with the cube power of linear dimensions, but area only as the square power, the mass-to-area ratio increases with body size. Hence we would hit the ground with more pounds per square inch than would a cat, even if our bodies were just a scaled-up cat's body and our landing positions were identical—which they are not.


You may object, correctly, that big animals have relatively stouter bones than do small animals, to absorb the greater impact. But the difference isn't enough to help. Elephants are much more at risk of a broken leg from a modest drop than are humans, just as adults are more at risk than babies, and babies more at risk than cats. Cats' lower ratio of mass to area also means that they reach a terminal velocity of a mere 60 mph within five stories of free fall, compared with our terminal velocity of 120 mph.

If cats were just scaled-down humans, that alone would make them less prone to injuries of falling than humans. But they have other unique advantages, beginning

with a superb internal gyroscope located in the inner ear. If a cat starts to fall while upside down, it quickly detects its orientation, twists in midair, and has righted itself with all four legs pointing downward by the time it has fallen just two or three feet. The result is that it spreads the impact over all four limbs, not just two.

We adult humans, endowed with a much less efficient gyroscope, tend to tumble uncontrollably as we fall. We land most often on our (two) legs, next most often on our heads. Because babies have relatively large heads, they tend to fall head downward with their arms extended reflexly. These facts contribute not only to cats' better survival but also to their different injury pattern: besides frequent fractures of the forelimbs and hind limbs, as compared with the fractured skulls of humans of all ages, fractured arms of babies, and fractured legs of adults. (Did you guess that answer correctly?)

Another advantage of cats, apart from their small size, is that they land with their limbs flexed to distribute the impact force through their muscles and joints. While there's nothing we can do to acquire the feline gyroscope, their limb flexing on impact is something that we can indeed learn



Based on data from Drs. Kenneth Warner and Robert Darnley (black circles) and Drs. Wayne Whitney and Cheryl Marshall (white circles)

to imitate and thereby protect ourselves. Parachutists practice landing on their toes with their knees and hips flexed, then rolling successively onto their calves, thighs, buttocks, and back. In this way, they distribute the impact away from their rigid breakable bones, spread it over a large area of their body, and reduce the shock by thirty times or more.

None of these advantages of cats explains the most surprising result: their improved chances of survival if their fall exceeds seven stories. Recall that bodies falling in the earth's atmosphere accelerate up to a terminal velocity determined by their air friction (proportional to their area) and weight. Thereafter, their velocity remains constant—as long as their weight and area don't change. Weight of course can't change, but it's easy to change the area you present to the air rushing by. Free-falling parachutists decrease their area and increase their velocity by keeping a slim profile, and spread their arms and legs to increase area and brake their velocity.


Cats may be behaving like well-trained paratroopers. Until they reach terminal velocity, they reflexly extend their limbs, which are therefore prone to fracture on impact. After they reach terminal velocity and cease to feel gravity's acceleration forces, they may relax and spread their limbs horizontally, like a flying squirrel. This would increase their air resistance, decrease their velocity and impact force, and spread the impact over their whole body surface (not just over their four legs). Not only does this view of cats as skilled paratroopers account for their excellent survival of falls beyond seven stories but it also explains their greatly reduced risk of fractured limbs. Most cats that fell seven or eight stories suffered a fracture, but only one cat out of thirteen cats that fell nine or more stories did.

In short, falling cats are less at risk than falling humans for many reasons. Their small size means less impact force, less stress (force divided by area), and lower terminal velocity. All those features also favor other small animals besides cats, but falling cats are still less at risk than falling small dogs, because of further features unique to cats. These include their superb gyroscope, which lets them land legs first rather than headfirst; their flexed limbs, which spread the shock through their joints and muscles; and possibly their assumption of a flying squirrel configuration after they've reached terminal velocity.

Since we've now invoked physics, astronomy, and physiology to understand falling cats, it remains only to invoke evolutionary biology. I suggest that the

"Without doubt, today's unabridged dictionary of choice."

— Washington Post Book World



- More than 315,000 entries
- 50,000 new words and 75,000 new definitions
- 75,000 sample phrases and sentences
- 10,500 synonym lists

- lists of words frequently misspelled, and words often confused
- in-depth coverage of American dialect words
- and much more

Now at your bookstore
 Random House

Now — dupe videotapes as sharp and clear as the originals, with . . .


VCR Enhancer™

Only \$39.95*

*But read the ad for an even better deal!

It's easy to dupe a video tape — just connect two VCR's and let it spin. The results, however, are usually quite dismal. Even with the best equipment and with greatest care, the duplicate tape will always be only a pale reflection of the original. The picture often looks as though it had been filtered through a cheesecloth and the sound is like mush. The reason is loss and distortion of the video/audio signals. But plug the VCR Enhancer™ between the two VCR's. It will boost the signals to their original levels and will prevent distortion and loss in quality. The resulting dupe is so clear, of such fidelity in the video and audio channels that you will be unable to tell the difference between it and the original.

We are one of the largest distributors of VCR Enhancers™ in the United States and are able to offer this great device for just \$39.95. But thanks to an arrangement with the manufacturer, we have an even better deal: Buy two for \$79.90, and we'll send you a third one, with our compliments — absolutely FREE! If you like to dupe tapes — video or stereo/mono audio, you shouldn't settle for less than perfect results. After all, those tapes are going to be in your permanent library. So do it the professional way: Use the VCR Enhancer™ and get it right!



*The VCR Enhancer™ is used by professional dubbing studios. The "secrets" are the sophisticated electronics, the 1000 individually insulated copper strands, and the gold-plated F-connectors that avoid even minimal contact resistance and distortion.

FOR FASTEST SERVICE, ORDER
TOLL FREE (800) 621-1203
 24 hours a day, 7 days a week.

Please give order #1029-0001 if you prefer, mail check or card authorization and expiration. We need daytime phone for all orders and issuing bank for charge orders. UPS insurance: \$4.95 for one VCR Enhancer™, \$6.95 for three. Add sales tax for CA delivery. You have 30-day return and one year warranty.

For quantity orders (100+) call, Ernest Gerard, our Wholesale/Premium Manager at (415) 543-6370 or write him at the address below.

since 1967
haverhills

131 Townsend Street, San Francisco, CA 94107

3-D DINOSAURS

What more delightful an introduction to the exciting world of dinosaurs could you find than this full-color pop-up book?

From Allosaurus to Tyrannosaurus rex, these magnificent creatures and their skeletons are revealed in three dimensions as you unfold each page of this ingeniously designed and beautifully illustrated book. It tells how we know about dinosaurs, describes the way they lived and raised their young, and gives the most current scientific theories about their extinction. Comprehensive, accurate, and fun, *Dinosaurs: A Lost World* will appeal to the young scientist as well as the dinosaur admirer of every age.

[] Yes, I would like to order _____ copies of *Dinosaurs: A Lost World* at \$13.95 plus \$2.50 for shipping and handling.




Name: _____
 Address: _____
 City: _____
 State: _____ Zip: _____
 Charge my credit card account (circle one):
 MASTERCARD VISA
 Card #: _____
 Exp. date: _____
 Signature: _____
 Make checks payable to the
 American Museum of Natural History

**Members'
Book
Program**

American Museum of Natural History
 Central Park, West at 79th Street,
 New York, NY 10024

8/89

How they fall



unique features of cats resulted from natural selection. Most wild species in the cat family, but few in the dog family, climb trees. For millions of years, cats have been intentionally springing from trees onto their prey, as well as falling out of trees accidentally. All those cats whose gyroscopes, limb flexing, and flying squirrel posture weren't up to snuff broke their legs and rolled into evolution's garbage can. Only the best feline paratroopers survived. Thus, cats ultimately have their evolutionary history to thank for their nine lives.

For those of you who aren't really into falling cats themselves, I'll close with a coda about their broader significance. Our first association to "scientific method" is likely to be "experiments." Supposedly, science tests conclusions by experimentally controlling the variables, preferably indoors in a lab. Some areas of science, like molecular biology, chemistry, and physics, really do fit that stereotype. But in other areas of science you can't possibly manipulate the variables. Perhaps the system is inaccessible or too big, as in astronomy or geology; perhaps it lies in the past, as in paleontology and archeology; or perhaps it would be unethical to manipulate variables, as in much of ecology and human research.

In these cases, scientists can still progress by searching for appropriate

"natural experiments." That is, you don't manipulate the variables yourself; instead, you look for and compare existing situations where nature has already manipulated the variables for you. For instance, astronomers observe galaxies with different red shifts, epidemiologists compare human populations with different diets, and ecologists study islands with different sets of species. Scientists accustomed to manipulative experiments tend to be snooty about such research, but that attitude ignores the real difficulties of doing science on problems that don't fit in test tubes.

Injury patterns of falling animals provide a homely but clear example. We could gain insight rapidly by throwing various animals and people off buildings of various heights onto various surfaces. But laws and our consciences would block doing such experiments. Instead, we must rely on natural experiments and examine those unfortunate people and animals that fell naturally. The range of insights that Whitney and Mehlfaff were thereby able to extract illustrates how science progresses, even in those fields where controlled experiments would be immoral, illegal, or impossible.

Jared Diamond teaches physiology at the UCLA Medical School and studies New Guinea birds.